



MAX BOND

PRODUCT DATA SHEET

102 "SUPER" CONTACT ADHESIVE

PRODUCT DESCRIPTION:

MAX BOND 102 is a solvent based neoprene contact adhesive used for fixing vinyl skirting and other common flooring materials where a quick contact bond is required to plaster, timber and metal substrates. Not recommended for exterior application.

METHOD OF APPLICATION:

1. To obtain the best results, the materials to be bonded should be dry, clean and free from dust, grit, oil, grease and other contaminants that may affect final bond.
2. Apply an even coat of adhesive to both surfaces by brush or roller.
On porous surfaces a second application may be required.
3. Allow solvent to evaporate and adhesive to become tacky. Place the surfaces together making sure that they are correctly positioned beforehand as no adjustment is possible after the surface has met.
4. Press both surfaces together, apply pressure with hand roller making sure sufficient pressure is applied to bring both surfaces into contact. Tack Up time Approx. 10 – 15 minutes at 20°C Open time approx. 45 minutes.

Refer to current AS2455 & AS1884 for further preparation and installation requirements.

TYPICAL PROPERTIES:

| | |
|-------------------|---------------------------------------|
| Appearance: | Light Yellow Liquid |
| Viscosity: | Brushable Liquid |
| Shelf Life: | 12 months in sealed container at 20°C |
| Packaging: | 1lt, 4lt cans & 20lt pails |
| Coverage: | 3 – 4 m ² per litre |
| Flammable Liquid: | 3 |

CLEAN UP:

Clean tools immediately after use with Max Bond SC solvent cleaner. Refer to SC TDS for further instructions.

Note: Always carry out your own test to confirm suitability of this product with your application. Additional information on physical properties, health hazards, storage, handling and transport is available in the Material Safety Data Sheet (MSDS), available on MJS website.

Updated 11/03/21



QUEENSLAND
Brisbane
MJS Floorcoverings
35 Dividend St
Mansfield 4122
Ph: 07 3347 7300
Fax: 07 3343 9792

NSW
Sydney
MJS Floorcoverings
2/4-7 Potter Close
Wetherill Park 2164
Ph: 02 9616 1500
Fax: 02 9616 1502

VICTORIA
Melbourne
MJS Floorcoverings
82 Endeavour St
Sunshine 3020
Ph: 03 9351 7400
Fax: 03 9351 7402

TASMANIA
Hobart
MJS Floorcoverings
101 Albert Rd
Moonah 7000
Ph: 03 6242 8800
Fax: 03 6242 8802

NORTHERN TERRITORY
Darwin
MJS Floorcoverings
Unit 4/124 Coonawarra Rd
Winnellie NT 0821
Ph: 08 7922 9700
Fax: 08 7922 9702

SOUTH AUSTRALIA
Adelaide
MJS Floorcoverings
22 Ridley Street
Hindmarsh SA 5007
Ph: 08 8178 5300
Fax: 08 8178 5302

WESTERN AUSTRALIA
Perth
MJS Floorcoverings
Opening soon