



**MAPEI
GROUTS.
44 COLOURS
WITH UNIQUE
PERFORMANCES.**



100	WHITE	
103	MOON WHITE	
110	MANHATTAN 2000	
111	SILVER GREY	
NEW		
123	ANCIENT WHITE	
112	MEDIUM GREY	
113	CEMENT GREY	
114	ANTHRACITE	
NEW		
127	ARCTIC GREY	
NEW		
187	LINEN	
NEW		
176	GREEN-GREY	
174	TORNADO	
NEW		
125	CASTLE GREY	
119	LONDON GREY	
NEW		
163	LIGHT LILAC	
NEW		
168	CERULEAN	
NEW		
167	AVIO	
NEW		
169	STEEL BLUE	
172	SPACE BLUE	
NEW		
177	SAGE	
130	JASMINE	
131	VANILLA	

	CARIBBEAN	137
	BEIGE 2000	132
	ALMOND	138
	CARAMEL	141
	BROWN	142
	SPELT	189
	SAND	133
	SILK	134
	GOLDEN DUST	135
	BISCUIT	188
	LIQUORICE	152
	CHOCOLATE	144
	VOLCANO SAND	149
	TERRA DI SIENA	145
	TERRACOTTA	143
	MUD	136
	CAPPUCINO	147
	BLACK	120
	YELLOW	150
	TRANSLUCENT	700
	MAPEGLITTER GOLD +	700
	MAPEGLITTER SILVER +	700

Ultracolor Plus

High-performance, cementitious mortar for grouting joints up to 20mm wide; it allows quick opening to traffic.



WATER-REPELLENT



MOULD-RESISTANT



ANTI-EFFLORESCENCE

Keracolor SF


High-performance cementitious mortar for grouting joints up to 4 mm wide.



FINE-GRAINED



EASY WORKABILITY




DURABLE & STRONG

Keracolor FF

High-performance, polymer-modified cementitious mortar for grouting joints up to 6mm wide.



WATER-REPELLENT



DURABLE & STRONG



EASY WORKABILITY

Keracolor GG

High-performance, polymer-modified cementitious mortar for grouting joints 4 to 15mm wide.



EASY WORKABILITY



DURABLE & STRONG



TRAFFIC-RESISTANT

***Kerapoxy Easy Design* NEW**

Two-component epoxy mortar, with BioBlock® technology, ideal for grouting ceramic tiles, mosaics and stone material. HACCP compliant.



IMPROVED
WORKABILITY
& CLEANABILITY



VERY LOW
EMISSION
OF VOC



ANTI-BACTERIAL
GROUT

Kerapoxy

Two-component, high-performance epoxy mortar for grouting ceramic tiles and stone material.



HIGH CHEMICAL
RESISTANCE



VERY LOW EMISSION
OF VOC



HACCP COMPLIANT

Kerapoxy CQ

Two-component epoxy mortar, with BioBlock® technology, ideal for grouting ceramic tiles, mosaics and stone material. Very low emission of VOC and HACCP compliant.



HIGH CHEMICAL
RESISTANCE



IMPROVED
WORKABILITY
& CLEANABILITY



ANTI-BACTERIAL
GROUT

Mapesil AC


Pure acetic silicone sealant.



VERY LOW EMISSION
OF VOC



WITH BIOBLOCK
TECHNOLOGY



HIGH ELASTICITY

Mapesil LM

Neutral silicone sealant for movements up to 25%.



VERY LOW EMISSION
OF VOC



WITH BIOBLOCK
TECHNOLOGY



DOES NOT STAIN,
IDEAL FOR STONE



Download grouts and
sealants information

All Mapei grouts for ceramic tiles and stone material are in compliance with EN 13888 standards. Due to the printing processes involved, the colours should be taken as merely indicative of the shades of the actual product. Please refer to the real colour samples.

	<i>Ultracolor Plus</i>	<i>Keracolor SF</i>	<i>Keracolor FF</i>	<i>Keracolor GG</i>	<i>Kerapoxy</i>	<i>Kerapoxy CQ</i>	<i>Kerapoxy Easy Design</i>	<i>MapeGlitter</i>	<i>Mapesil AC</i>	<i>Mapesil LM</i>
100	●	●	●	●	●	●	●		●	●
103	●		●				●		●	
111	●		●	●	●		●		●	
123 <i>NEW</i>	●						●			
112	●		●	●	●		●		●	
113	●		●	●	●		●		●	
114	●		●	●	●		●		●	
127 <i>NEW</i>	●						●			
110	●		●	●	●		●		●	
187 <i>NEW</i>	●						●		●	
176 <i>NEW</i>	●						●		●	
174	●						●		●	
125 <i>NEW</i>	●						●		●	
119	●		●				●		●	
163 <i>NEW</i>	●						●		●	
168 <i>NEW</i>	●						●		●	
167 <i>NEW</i>	●						●		●	
169 <i>NEW</i>	●						●		●	
172	●				●		●		●	
177 <i>NEW</i>	●						●		●	
130	●		●	●	●		●		●	
131	●				●		●		●	
137	●						●		●	
132	●		●	●	●		●		●	
138	●						●		●	
141	●		●	●	●		●		●	
142	●		●	●			●		●	

	<i>Ultracolor Plus</i>	<i>Keracolor SF</i>	<i>Keracolor FF</i>	<i>Keracolor GG</i>	<i>Kerapoxy</i>	<i>Kerapoxy CQ</i>	<i>Kerapoxy Easy Design</i>	<i>MapeGlitter</i>	<i>Mapesil AC</i>	<i>Mapesil LM</i>
189	●						●		●	
133	●		●				●		●	
134	●		●				●		●	
188	●						●		●	
135	●						●		●	
152	●						●		●	
144	●		○	○	○		○		○	
149	○						○		○	
145	●		●	●	●		●		●	
143	●				●		●		●	
136	●						●		●	
147						●				
120	○		○	○	○		○		○	
150	●				●		●		●	
700							●			●
700 + GOLD*								●		
700 + SILVER*								●		

- * For the correct use of **MapeGlitter**, always refer to relevant technical data sheets.
- * Some colours and products are subject to a lead time once ordered. For more information please contact your Mapei sales representative or email sales@mapei.com.au

Due to the printing processes involved, the colours should be taken as merely indicative of the shades of the actual product. For an accurate colour representation, please refer to Mapei "Coloured Grouts" samples. Colours can be affected by the surface (where they are used) and the brightness of the environment.

MAPEI Australia Pty Ltd

180 Viking Drive, Wacol
QLD 4076

Ph: 07 3276 5000
E: sales@mapei.com.au
W: mapei.com.au

